Date: User: Wednesday, 16/07/2008 8:55:52 AM

Julie Lecocq

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Drawing Name

: WEARSHOE

Job Number

This Issue

Prsht Rev.

First Issue

: 40551 : 13310

Estimate Number P.O. Number

: 16/07/2008

: NC : //

: 39715

S.O. No. :

Type

Part Number

: D37931

Drawing Number

: D3793 REVA

Project Number

: N/A

Drawing Revision

: A

Material **Due Date**

: 04/08/2008

Qty:

20 Um:

Each

Written By

Checked & Approved By

Comment

Previous Run

08-05-13 new issue DD verified by:EC : Est Rev:A

08-05-23 revA as per dwg DD verified by:EC

: SMALL /MED FAB

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

M304S20GA

304/316 .040 Sheet



Comment: Qty.:

0.6197 sf(s)/Unit Total:

12.3942 sf(s)

304/316 .040 Sheet

(M304S20GA)

Batch: 100

2.0

WATER JET

FLOW WATER JET



1-Cut as per Dwg D3793

Dwg Rev:____





Comment: FLOW WATER JET

Prog Rev: 1

B8-8-5





2-Deburr if necessary

3.0

QC2

IR 8-8-5



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8

SECOND CHECK



Comment: SECOND CHECK

BRAKE NO

NC BRAKE



Comment: NC BRAKE

1-Deburr if necessary

2-Form on Brake as per Dwg D3793 using Jigs

Page 1

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
		•								
			1 te Sines							

Part No: <u>13753-1</u>	PAR #: NA	Fault Category: Prod for pos mad a	NCR: Yes No	DQA:	Date: 08/08/08
	•	•	04 11/0 0		2012010

Date: <u>86/09/08</u> QA: N/C Closed: H **WORK ORDER NON-CONFORMANCE (NCR)** NCR: 40551 **Corrective Action** Section B **Description of NC** Verification **Approval** QC Inspector **Approval STEP** DATE Sign & Initial **Action Description** Section A Section C Chief Eng Chief Eng Date Chief Eng TWO PARTS HOLES TO BE_108724

NOTE: Date & initial all entries

Date: Wednesday, 16/07/2008 8:55:52 AM User: Julie Lecoca **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: WEARSHOE Job Number: 40551 Part Number: D37931 Job Number: Seq. #: Machine Or Operation: **Description:** 3-Form Joggle on brake using Jig as per Dwg D3793 INSPECT WORK TO CURRENT STEE 6.0 Comment: INSPECT WORK TO CURRENT STEP POWDER COATING 7.0 POWDER COATING M106442 Comment: POWDER COATING Powder Coat Grey Sandtex (Ref. 4.3.5.6) as per QSI 005 4.3 START TIME: **OVEN TEMPERATURE: FINISH TIME:** INSPECT POWDER COAT/CHEMICAL CONVERSION QC3 8.0 Comment: INSPECT POWDER COAT/CHEMICÄL CONVERSION 9.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE QC21 10.0 Comment: FINAL INSPECTION/W/O RELEASE 08-08-01 Job Completion

Dart Aerospace Ltd

24.1.1.10.100pulo 244											
W/O:		WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
٠						į					
				·							
Part No		PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date: _					
			QA:	N/C Close	d:	_ Date: _					
		MUDK UDDED NUN CONEO	DMANCE (NC	D)							

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B	Verification	A	Approval QC Inspector			
DATE	STEP	Section A			Sign & Date	Section C		Approval Chief Eng		
						:				

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order: 405	51
Description: Wearshoe	Part Number: D3	793-1
Inspection Dwg: D3793 Rev: A	Page	e 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

	X	First Artic	cle	Proto	type			
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Metho Inspe		Cor	nments
Ø0.188	+0.005/-0.001	1189	×					•
0.300 x 0.300	+/-0.010	303×303	800					
1.885	+/-0.010	1,893	X					
2.000	+/-0.010	(,948	×					
5.00	+/-0.030	CO.Z	1 99					
8.00	+/-0.030	8.66	×					
14.00	+/-0.030	14.06	₩					
20.00	+/-0.030	60.06	×					
14.066	+/-0.010	14.066	¥					
18.983	+/-0.010	(8,993	×					
23.900	+/-0.010	23.900	8					
27.400	+/-0.010	27.400	8					
29.400	+/-0.010	29.400	8					
32.900	+/-0.010	3).900	8					
0.040	+/-0.010	:036	پ					
				,				_
								-
Measured by:	(3)	Audited by:	5		Proto	type Apr	oroval:	N/A
Date:	8-8-5	Date:	886				Date:	N/A
Rev Date	Change					Revise	by ,	Approved
A 08.05.30	New Issue		·			KJ/DD	of the	

32.900 26.735 D 29.400 17.750 27.400 14.250 23.900 18.983 9.500 -- DETAIL A **— 2.000** 2.000 -R0.57 R1.25 1.885 4.389 6.547 8.00 Ø0.188 1.885 0.531x0.780 OBROUND DETAIL A 2 PL 14.00 5.00 Ø0.188 6.00 -20.00 4 PL 2 PL **D3793-1F FLAT PATTERN D3793-3F FLAT PATTERN** 4.50 TO BEND LINE (ON FLAT PATTERN) DETAIL B-R31.6 0.32 REF D3793-1 BEND DETAIL D3793-3 BEND DETAIL RETURN TO (MAKE FROM D3793-1F) (MAKE FROM D3793-3F) ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER NO. 4055 L NEW ISSUE PH 08.05.14 REV. DESCRIPTION DATE 1) MATERIAL: AISI 304/316 SS SHEET SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) DART AEROSPACE USA, INC DESIGN (REF DART SPEC M304S20GA) DRAWN PH PORT HADLOCK, WA 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3 CHECKED 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED DRAWING NO. REV. A 4) UNITS: INCHES UNLESS OTHERWISE NOTED MFG. APPR. D3793 SHEET 1 OF 2 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX APPROVED TITLE **SCALE** 6) IDENTIFICATION: IDENIFTY WITH DART P/N "DXXXX-X" ON INSIDE SURFACE USING FINE POINT PERMANENT INK MARKER OR LABEL AFTER FINISH DE APPR. **WEARSHOE** 7) WEIGHT: D3793-1 - 0.72 LBS, D3793-3 - 0.66 LBS COPYRIGHT @ 2008 BY DART AEROSPACE USA, INC
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON!
WRITTEN REFINISSION FROM DART AEROSPACE USA INC. DATE 08.05.14 8

